

SKYDEN

ALUMINUM SYSTEM RAILING

THE WIDE RANGE OF
ALUMINUM GLASS SYSTEM RAILING



THE LANGUAGE OF LUXURY

When it comes to aesthetics we believe there's no limit to the human imagination and creativity. A lot is there waiting to be explored and tried in the realms of design. We want to create and construct aesthetically pleasing architectural marvels and set the tone for different and elegant future designs.

Creativity when joins hands with the joy of exploration it gives wings to a designer's imagination, you might get in awe with the results attained by doing this.

Yes, We know The Language of Luxury.



ABOUT US

We always strive to be the fore front runner in delivering aesthetically pleasing architectural metal and glass marvels in the form of elegant yet sturdy railing designs and accessories, at par with the international standards.

We have established our brand name synonymous with reliability and supreme quality. We attain this benchmark by adhering to our stringent quality check process that complies with the international standards of railing designs and product quality. You will get the finest quality railing designs and accessories from us.

Our in-house design team explores innovations and studies recent global trends to always be in-the-know of what new can be done and what's next on the horizon. All of this is possible with the help of our well-qualified engineers and professionals so that our valuable clients always get the quality products and services from us.


VISION

We aspire to set benchmarks in the railing designs, quality, and deliverables.

Quality assurance merged with the latest technology and trusted experience of our professionals reflects in our products and the very fabric and culture of our organization.



SD 01



TYPE :	Continuos Profile System
USE :	Indoor & Outdoor
MOUNT :	Top Concealed Side
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	1100mm (max)
GLASS THICKNESS :	12mm
FINISH :	Anodized Powder Coat Wood Coat
LENGTH :	12ft. 16ft



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE




WEATHER PROOF



CORROSION RESISTANCE



SD 02



TYPE :	Continuos Profile System
USE :	Indoor & Outdoor
MOUNT :	Top
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	970mm (max)
GLASS THICKNESS :	12mm
FINISH :	Anodized Powder Coat Wood Coat
LENGTH :	12ft 16ft.



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE




WEATHER PROOF



CORROSION RESISTANCE



SD 02B



TYPE :	Bracket with Side Cap System
USE :	Indoor & Outdoor
MOUNT :	Top
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	970mm (max)
GLASS THICKNESS :	12mm
FINISH :	Anodized Powder Coat Wood Coat
LENGTH :	65mm/pcs



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE




WEATHER PROOF



CORROSION RESISTANCE



SD 03



TYPE :	Bracket with Cover System
USE :	Indoor & Outdoor
MOUNT :	Top
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	970mm (max)
GLASS THICKNESS :	12mm
FINISH :	Anodized Powder Coat Wood Coat
LENGTH :	12ft 16ft.



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE




WEATHER PROOF



CORROSION RESISTANCE



SD 04



TYPE :	Bracket with Cover System
USE :	Indoor & Outdoor
MOUNT :	Top Concealed
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	970mm (max)
GLASS THICKNESS :	12mm
FINISH :	Anodized Powder Coat Wood Coat
LENGTH :	12ft 16ft



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE




WEATHER PROOF



CORROSION RESISTANCE



SD 05



TYPE :	Bracket System
USE :	Indoor & Outdoor
MOUNT :	Top
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	970mm (max)
GLASS THICKNESS :	12mm
FINISH :	Anodized Powder Coat Wood Coat
LENGTH :	65mm/pcs



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE




WEATHER PROOF



CORROSION RESISTANCE



SD 06



TYPE :	Continuos Profile System
USE :	Indoor & Outdoor
MOUNT :	Top Concealed
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	970mm (max)
GLASS THICKNESS :	12mm
FINISH :	Anodized Powder Coat Wood Coat
LENGTH :	12ft 16ft



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE





WEATHER PROOF



CORROSION RESISTANCE



SD 07



TYPE :	Continuos Profile System
USE :	Indoor & Outdoor
MOUNT :	Top Concealed
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	1100mm (max)
GLASS THICKNESS :	12mm
FINISH :	Anodized Powder Coat Wood Coat
LENGTH :	12ft 16ft



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE





WEATHER PROOF



CORROSION RESISTANCE



SD 08



TYPE :	Continuos Profile System
USE :	Indoor & Outdoor
MOUNT :	Top Concealed
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	970mm (max)
GLASS THICKNESS :	12mm
FINISH :	Anodized Powder Coat Wood Coat
LENGTH :	12ft 16ft



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE





WEATHER PROOF



CORROSION RESISTANCE



SD 09



TYPE :	Continuos Profile System
USE :	Indoor & Outdoor
MOUNT :	Top
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	970mm (max)
GLASS THICKNESS :	12mm
FINISH :	Anodized Powder Coat Wood Coat
LENGTH :	12ft 16ft



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE





WEATHER PROOF



CORROSION RESISTANCE



SD 10



TYPE :	Continuos Profile System
USE :	Indoor & Outdoor
MOUNT :	Top
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	970 (max)
GLASS THICKNESS :	12mm
FINISH :	Anodized Powder Coat Wood Coat
LENGTH :	12ft 16ft



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE




WEATHER PROOF



CORROSION RESISTANCE



SD 11



TYPE :	Continuos Profile System
USE :	Indoor & Outdoor
MOUNT :	Top Side Concealed
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	1100mm (max)
GLASS THICKNESS :	12mm to 19mm
FINISH :	Anodized Powder Coat Wood Coat
LENGTH :	12ft 16ft



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE




WEATHER PROOF



CORROSION RESISTANCE



SD 11B



TYPE :	Bracket with Side Cap System
USE :	Indoor & Outdoor
MOUNT :	Top
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	1100mm (max)
GLASS THICKNESS :	12mm 19mm
FINISH :	Anodized Powder Coat Wood Coat
LENGTH :	70mm/pcs



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE




WEATHER PROOF



CORROSION RESISTANCE



SD 12



TYPE :	Bracket with Cover System
USE :	Indoor & Outdoor
MOUNT :	Top
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	970 (max)
GLASS THICKNESS :	12mm
FINISH :	Anodized Powder Coat Wood Coat
LENGTH :	12ft 16ft



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE




WEATHER PROOF



CORROSION RESISTANCE



SD 13



TYPE :	Bracket with Cover System
USE :	Indoor & Outdoor
MOUNT :	Top
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	1100mm (max)
GLASS THICKNESS :	12mm
FINISH :	Anodized Powder Coat Wood Coat
LENGTH :	12ft 16ft



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE




WEATHER PROOF



CORROSION RESISTANCE



SD 14



TYPE :	Continuos Profile System
USE :	Indoor & Outdoor
MOUNT :	Top
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	970mm (max)
GLASS THICKNESS :	12mm
FINISH :	Anodized Powder Coat Wood Coat
LENGTH :	12ft 16ft



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE




WEATHER PROOF



CORROSION RESISTANCE



SD 15



TYPE :	Continuos Profile System
USE :	Indoor & Outdoor
MOUNT :	Top
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	970mm (max)
GLASS THICKNESS :	12mm
FINISH :	Anodized Powder Coat Wood Coat
LENGTH :	12ft 16ft



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE




WEATHER PROOF



CORROSION RESISTANCE



SD 16



TYPE :	Bracket with Cover System
USE :	Indoor & Outdoor
MOUNT :	Top
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	970mm (max)
GLASS THICKNESS :	12mm
FINISH :	Anodized Powder Coat Wood Coat
LENGTH :	12ft 16ft



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE




WEATHER PROOF



CORROSION RESISTANCE



SD 16B



TYPE :	Bracket with Side Cap
USE :	Indoor & Outdoor
MOUNT :	Top
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	970mm (max)
GLASS THICKNESS :	12mm
FINISH :	Anodized Powder Coat Wood Coat
LENGTH :	65mm/pcs



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE




WEATHER PROOF



CORROSION RESISTANCE



SD 17



TYPE :	Continuos Profile System
USE :	Indoor & Outdoor
MOUNT :	Top Concealed
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	970mm (max)
GLASS THICKNESS :	12mm
FINISH :	Anodized Powder Coat Wood Coat
LENGTH :	12ft 16ft



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE




WEATHER PROOF



CORROSION RESISTANCE

SD 18



TYPE :	Continuous Profile System
USE :	Indoor & Outdoor
MOUNT :	Top Concealed Side
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	1100mm (max)
GLASS THICKNESS :	12mm
FINISH :	Anodized Powder Coat Wood Coat
LENGTH :	12ft 16ft



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE




WEATHER PROOF



CORROSION RESISTANCE



SD 19



TYPE :	Bracket System
USE :	Indoor & Outdoor
MOUNT :	Top
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	900mm (max)
GLASS THICKNESS :	12mm
FINISH :	Anodized Powder Coat Wood Coat
LENGTH :	57mm/pcs



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE




WEATHER PROOF



CORROSION RESISTANCE



SD 20



TYPE :	Bracket System
USE :	Indoor & Outdoor
MOUNT :	Top
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	970mm (max)
GLASS THICKNESS :	12mm
FINISH :	Anodized Powder Coat Wood Coat
LENGTH :	50mm/pcs



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE




WEATHER PROOF



CORROSION RESISTANCE



SD 21



TYPE :	Bracket System
USE :	Indoor & Outdoor
MOUNT :	Top
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	970mm (max)
GLASS THICKNESS :	12mm
FINISH :	Anodized Powder Coat Wood Coat
LENGTH :	65mm/pcs



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE




WEATHER PROOF



CORROSION RESISTANCE



SD 22



TYPE :	Continuos Profile System
USE :	Indoor & Outdoor
MOUNT :	Top Concealed
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	970mm (max)
GLASS THICKNESS :	12mm
FINISH :	Anodized Powder Coat Wood Coat
LENGTH :	12ft 16ft



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE





WEATHER PROOF



CORROSION RESISTANCE



SD 23



TYPE :	Continuos Profile System
USE :	Indoor & Outdoor
MOUNT :	Top
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	970mm (max)
GLASS THICKNESS :	12mm
FINISH :	Anodized Powder Coat Wood Coat
LENGTH :	12ft 16ft



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE




WEATHER PROOF



CORROSION RESISTANCE



SD 24



TYPE :	Bracket System
USE :	Indoor & Outdoor
MOUNT :	Top
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	970mm (max)
GLASS THICKNESS :	12mm
FINISH :	Anodized Powder Coat Wood Coat
LENGTH :	60mm/pcs



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE




WEATHER PROOF



CORROSION RESISTANCE



SD 25



TYPE :	Bracket with Cover System
USE :	Indoor & Outdoor
MOUNT :	Top
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	970mm (max)
GLASS THICKNESS :	12mm
FINISH :	Anodized Powder Coat Wood Coat
LENGTH :	12ft 16ft



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE




WEATHER PROOF



CORROSION RESISTANCE



SD 26



TYPE :	Continuos Profile System
USE :	Indoor & Outdoor
MOUNT :	Top
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	1100mm (max)
GLASS THICKNESS :	12mm
FINISH :	Anodized Powder Coat Wood Coat
LENGTH :	12ft



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE




WEATHER PROOF



CORROSION RESISTANCE



SD 27



TYPE :	Continuos Profile System
USE :	Indoor & Outdoor
MOUNT :	Top Concealed
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	1100mm (max)
GLASS THICKNESS :	25.5mm
FINISH :	Anodized Powder Coat Wood Coat
LENGTH :	12ft



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE




WEATHER PROOF



CORROSION RESISTANCE



SD 28



TYPE :	Continuos Profile System
USE :	Indoor & Outdoor
MOUNT :	Top Concealed
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	900mm (max)
GLASS THICKNESS :	12mm
FINISH :	Anodized Powder Coat Wood Coat
LENGTH :	12ft 16ft



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE




WEATHER PROOF



CORROSION RESISTANCE



SD 29



TYPE :	Continuos Profile System
USE :	Indoor & Outdoor
MOUNT :	Top
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	1100mm (max)
GLASS THICKNESS :	12mm
FINISH :	Anodized Powder Coat Wood Coat
LENGTH :	12ft



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE





WEATHER PROOF



CORROSION RESISTANCE



SD 30



TYPE :	Continuos Profile System
USE :	Indoor & Outdoor
MOUNT :	Top Concealed
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	900mm (max)
GLASS THICKNESS :	12mm
FINISH :	Anodized Powder Coat Wood Coat
LENGTH :	12ft 16ft



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE





WEATHER PROOF



CORROSION RESISTANCE



SD 31



TYPE :	Continuos Profile System
USE :	Indoor & Outdoor
MOUNT :	Top Concealed
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	970mm (max)
GLASS THICKNESS :	12mm
FINISH :	Anodized Powder Coat Wood Coat
LENGTH :	12ft 16ft



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE




WEATHER PROOF



CORROSION RESISTANCE



SD 32



TYPE :	Bracket with Cover System
USE :	Indoor & Outdoor
MOUNT :	Top
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	970mm (max)
GLASS THICKNESS :	12mm
FINISH :	Anodized Powder Coat Wood Coat
LENGTH :	60mm/pcs



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE




WEATHER PROOF



CORROSION RESISTANCE



SD 33



TYPE :	Continuos Profile System
USE :	Indoor & Outdoor
MOUNT :	Top
MATERIAL :	Aluminium Alloy 6063 - T6
GLASS HEIGHT :	970mm (max)
GLASS THICKNESS :	12mm
FINISH :	Anodized Powder Coat Wood Coat
LENGTH :	12ft



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE



WEATHER PROOF








CORROSION RESISTANCE

HANDRAIL & ACCESSORIES








HR-01 (50X50mm Square Light)

				
HAND RAIL	WALL CONCEALED	CORNER CONNECTOR	STRAIGHT CONNECTOR	END CAP








HR-02 (40X40mm Square)

				
HAND RAIL	WALL CONCEALED	CORNER CONNECTOR	STRAIGHT CONNECTOR	END CAP







HR-03 (25X25mm)


				
HAND RAIL	WALL CONCEALED	CORNER CONNECTOR	STRAIGHT CONNECTOR	END CAP



HR-04 (50mm Round)

				
HAND RAIL	WALL CONCEALED	CORNER CONNECTOR	STRAIGHT CONNECTOR	END CAP

HANDRAIL & ACCESSORIES



HAND RAIL	WALL CONCEALED	CORNER CONNECTOR	STRAIGHT CONNECTOR	END CAP



HAND RAIL	WALL CONCEALED	CORNER CONNECTOR	STRAIGHT CONNECTOR	END CAP



HAND RAIL	WALL CONCEALED	CORNER CONNECTOR	STRAIGHT CONNECTOR	END CAP




HAND RAIL	WALL CONCEALED	END CAP		

HANDRAIL & ACCESSORIES



HR-09 (82X38mm)

HAND RAIL	WALL CONCEALED	CORNER CONNECTOR	STRAIGHT CONNECTOR	END CAP



HR-10 (50X50mm Heavy)

HAND RAIL	WALL CONCEALED	CORNER CONNECTOR	STRAIGHT CONNECTOR	END CAP



HR-11 (42mm Round)

HAND RAIL	WALL CONCEALED	CORNER CONNECTOR	STRAIGHT CONNECTOR	END CAP








HR-12 (71X35mm)






HAND RAIL	WALL CONCEALED	CORNER CONNECTOR	STRAIGHT CONNECTOR	END CAP

HANDRAIL & ACCESSORIES





				
HAND RAIL	WALL CONCEALED	CORNER CONNECTOR	STRAIGHT CONNECTOR	END CAP



				
HAND RAIL	WALL CONCEALED	CORNER CONNECTOR	STRAIGHT CONNECTOR	END CAP



				
HAND RAIL	WALL CONCEALED	END CAP		





				
HAND RAIL	END CAP			

HANDRAIL & ACCESSORIES








HR-17 (35X40mm)

				
HAND RAIL	WALL CONCEALED	CORNER CONNECTOR	STRAIGHT CONNECTOR	END CAP








HR-18 (65X40mm)

				
HAND RAIL	WALL CONCEALED	CORNER CONNECTOR	STRAIGHT CONNECTOR	END CAP






HR-19 (60X40mm)

				
HAND RAIL	WALL CONCEALED	CORNER CONNECTOR	STRAIGHT CONNECTOR	END CAP



HR-20 (xixoxi mm)

				
HAND RAIL	WALL CONCEALED	CORNER CONNECTOR		

FINISHES

AVAILABLE FINISHES



C-5



US-1103



US-1107



SILVER

WE CAN MAKE FINISHES AS PER REQUIREMENTS



US-017



US-010



US-023



US-222




US-777



US-1111



US-555



US-1106

BRAND WE USE IN FASTENER

STRONG FOR GENERATIONS

KLIMAS

FASTENER TECHNOLOGIES



Frame plug with TX head screw (polyamide sleeve)

KPS-FAST S / KPR-FAST K

RELIABLE AND SECURE

PA
100% NYLON

FASTENING




SUBSTRATES (ETAG 020 ABCCD)



A
Cracked concrete – non-structural, multi-point fastening



B
Solid clay brick, Solid calcium silicate brick



C
Hollow or perforated clay brick



C
Calcium silicate hollow block



D
AAC block

AVAILABLE ANCHOR LENGTH:

8 x 80mm

8 x 100mm

8 x 120mm

10 x 80mm

10 x 100mm

10 x 120mm

10 x 140mm

10 x 160mm

ZINC FLAKE COATING

Zinc flake coating offers two times better corrosion resistance compared



EUROPEAN TECHNICAL
ASSESSMENT ETA-12/0272

NOTE: _____

[illegible]



Address: Beside Mars Soil, Testing Laboratory,
Kumbarwas, Nr. Vandematram Railway Crossing,
Gota, 382481-Ahmedabad.

E-mail: sales@skydecks.in

Website: www.skydecks.in

Contact: +91-9979929622

Follow us on:   