



SKYDEN
ALUMINUM SYSTEM RAILING

THE WIDE RANGE OF
ALUMINUM GLASS SYSTEM RAILING



|

THE LANGUAGE OF LUXURY

|

When it comes to aesthetics we believe there's no limit to the human imagination and creativity. A lot is there waiting to be explored and tried in the realms of design. We want to create and construct aesthetically pleasing architectural marvels and set the tone for different and elegant future designs.

Creativity when joins hands with the joy of exploration it gives wings to a designer's imagination, you might get in awe with the results attained by doing this.

Yes, We know The Language of Luxury.



ABOUT US

We always strive to be the fore front runner in delivering aesthetically pleasing architectural metal and glass marvels in the form of elegant yet sturdy railing designs and accessories, at par with the international standards.

We have established our brand name synonymous with reliability and supreme quality. We attain this benchmark by adhering to our stringent quality check process that complies with the international standards of railing designs and product quality. You will get the finest quality railing designs and accessories from us.

Our in-house design team explores innovations and studies recent global trends to always be in-the-know of what new can be done and what's next on the horizon. All of this is possible with the help of our well-qualified engineers and professionals so that our valuable clients always get the quality products and services from us.


VISION

We aspire to set benchmarks in the railing designs, quality, and deliverables.

Quality assurance merged with the latest technology and trusted experience of our professionals reflects in our products and the very fabric and culture of our organization.



SD 01



| | |
|--------------------------|---------------------------|
| TYPE : | Continuos Profile System |
| USE : | Indoor & Outdoor |
| MOUNT : | Top Concealed Side |
| MATERIAL : | Aluminium Alloy 6063 - T6 |
| GLASS HEIGHT : | 1100mm (max) |
| GLASS THICKNESS : | 12mm to 17.52mm |
| FINISH : | Powder Coat Wood Coat |
| LENGTH : | 12ft. 16ft |



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE




WEATHER PROOF



CORROSION RESISTANCE



SD 02



| | |
|--------------------------|---------------------------|
| TYPE : | Continuos Profile System |
| USE : | Indoor & Outdoor |
| MOUNT : | Top |
| MATERIAL : | Aluminium Alloy 6063 - T6 |
| GLASS HEIGHT : | 970mm (max) |
| GLASS THICKNESS : | 12mm |
| FINISH : | Powder Coat Wood Coat |
| LENGTH : | 12ft 16ft. |



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE




WEATHER PROOF



CORROSION RESISTANCE



SD 02B



TYPE : Bracket with Side Cap System

USE : Indoor & Outdoor

MOUNT : Top

MATERIAL : Aluminium Alloy 6063 - T6

GLASS HEIGHT : 970mm (max)

GLASS THICKNESS : 12mm

FINISH : Powder Coat | Wood Coat

LENGTH : 65mm/pcs



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE




WEATHER PROOF





CORROSION RESISTANCE







SD 03



| | |
|--------------------------|---------------------------|
| TYPE : | Bracket with Cover System |
| USE : | Indoor & Outdoor |
| MOUNT : | Top |
| MATERIAL : | Aluminium Alloy 6063 - T6 |
| GLASS HEIGHT : | 970mm (max) |
| GLASS THICKNESS : | 12mm |
| FINISH : | Powder Coat Wood Coat |
| LENGTH : | 12ft 16ft. |


-  EASY INSTALLATION
-  EASY CLEANING

-  MAINTENANCE FREE
-  100% RECYCLABLE

-  WEATHER PROOF
-  CORROSION RESISTANCE



SD 04



| | |
|--------------------------|---------------------------|
| TYPE : | Bracket with Cover System |
| USE : | Indoor & Outdoor |
| MOUNT : | Top Concealed |
| MATERIAL : | Aluminium Alloy 6063 - T6 |
| GLASS HEIGHT : | 970mm (max) |
| GLASS THICKNESS : | 12mm |
| FINISH : | Powder Coat Wood Coat |
| LENGTH : | 12ft 16ft |



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE




WEATHER PROOF



CORROSION RESISTANCE



SD 05



| | |
|--------------------------|---------------------------|
| TYPE : | Bracket System |
| USE : | Indoor & Outdoor |
| MOUNT : | Top |
| MATERIAL : | Aluminium Alloy 6063 - T6 |
| GLASS HEIGHT : | 970mm (max) |
| GLASS THICKNESS : | 12mm |
| FINISH : | Powder Coat Wood Coat |
| LENGTH : | 65mm/pcs |



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE




WEATHER PROOF



CORROSION RESISTANCE



SD 06



| | |
|--------------------------|---------------------------|
| TYPE : | Continuos Profile System |
| USE : | Indoor & Outdoor |
| MOUNT : | Top Concealed |
| MATERIAL : | Aluminium Alloy 6063 - T6 |
| GLASS HEIGHT : | 970mm (max) |
| GLASS THICKNESS : | 12mm |
| FINISH : | Powder Coat Wood Coat |
| LENGTH : | 12ft 16ft |



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE





WEATHER PROOF



CORROSION RESISTANCE



SD 07



| | |
|--------------------------|---------------------------|
| TYPE : | Continuos Profile System |
| USE : | Indoor & Outdoor |
| MOUNT : | Top Concealed |
| MATERIAL : | Aluminium Alloy 6063 - T6 |
| GLASS HEIGHT : | 1100mm (max) |
| GLASS THICKNESS : | 12mm to 17.52mm |
| FINISH : | Powder Coat Wood Coat |
| LENGTH : | 12ft 16ft |



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE





WEATHER PROOF



CORROSION RESISTANCE



SD 08



| | |
|--------------------------|---------------------------|
| TYPE : | Continuos Profile System |
| USE : | Indoor & Outdoor |
| MOUNT : | Top Concealed |
| MATERIAL : | Aluminium Alloy 6063 - T6 |
| GLASS HEIGHT : | 970mm (max) |
| GLASS THICKNESS : | 12mm |
| FINISH : | Powder Coat Wood Coat |
| LENGTH : | 12ft 16ft |



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE





WEATHER PROOF



CORROSION RESISTANCE



SD 09



| | |
|--------------------------|---------------------------|
| TYPE : | Continuos Profile System |
| USE : | Indoor & Outdoor |
| MOUNT : | Top |
| MATERIAL : | Aluminium Alloy 6063 - T6 |
| GLASS HEIGHT : | 970mm (max) |
| GLASS THICKNESS : | 12mm |
| FINISH : | Powder Coat Wood Coat |
| LENGTH : | 12ft 16ft |



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE





WEATHER PROOF



CORROSION RESISTANCE



SD 10



| | |
|--------------------------|---------------------------|
| TYPE : | Continuos Profile System |
| USE : | Indoor & Outdoor |
| MOUNT : | Top |
| MATERIAL : | Aluminium Alloy 6063 - T6 |
| GLASS HEIGHT : | 970 (max) |
| GLASS THICKNESS : | 12mm |
| FINISH : | Powder Coat Wood Coat |
| LENGTH : | 12ft 16ft |



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE




WEATHER PROOF





CORROSION RESISTANCE







SD 11



| | |
|--------------------------|---------------------------|
| TYPE : | Continuos Profile System |
| USE : | Indoor & Outdoor |
| MOUNT : | Top Side Concealed |
| MATERIAL : | Aluminium Alloy 6063 - T6 |
| GLASS HEIGHT : | 1100mm (max) |
| GLASS THICKNESS : | 12mm to 19mm |
| FINISH : | Powder Coat Wood Coat |
| LENGTH : | 12ft |


 EASY INSTALLATION
 EASY CLEANING

 MAINTENANCE FREE
 100% RECYCLABLE

 WEATHER PROOF
 CORROSION RESISTANCE



SD 11B



| | |
|--------------------------|------------------------------|
| TYPE : | Bracket with Side Cap System |
| USE : | Indoor & Outdoor |
| MOUNT : | Top |
| MATERIAL : | Aluminium Alloy 6063 - T6 |
| GLASS HEIGHT : | 1100mm (max) |
| GLASS THICKNESS : | 12mm to 15.52mm |
| FINISH : | Powder Coat Wood Coat |
| LENGTH : | 70mm/pcs |



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE




WEATHER PROOF



CORROSION RESISTANCE



SD 12



| | |
|--------------------------|---------------------------|
| TYPE : | Bracket with Cover System |
| USE : | Indoor & Outdoor |
| MOUNT : | Top |
| MATERIAL : | Aluminium Alloy 6063 - T6 |
| GLASS HEIGHT : | 970 (max) |
| GLASS THICKNESS : | 12mm |
| FINISH : | Powder Coat Wood Coat |
| LENGTH : | 12ft 16ft |

 EASY INSTALLATION

 MAINTENANCE FREE

 WEATHER PROOF


 EASY CLEANING

 100% RECYCLABLE

 CORROSION RESISTANCE



SD 13



| | |
|--------------------------|---------------------------|
| TYPE : | Bracket with Cover System |
| USE : | Indoor & Outdoor |
| MOUNT : | Top |
| MATERIAL : | Aluminium Alloy 6063 - T6 |
| GLASS HEIGHT : | 1100mm (max) |
| GLASS THICKNESS : | 12mm |
| FINISH : | Powder Coat Wood Coat |
| LENGTH : | 12ft 16ft |



EASY INSTALLATION



MAINTENANCE FREE



WEATHER PROOF



EASY CLEANING




100% RECYCLABLE





CORROSION RESISTANCE







SD 14



| | |
|--------------------------|---------------------------|
| TYPE : | Continuos Profile System |
| USE : | Indoor & Outdoor |
| MOUNT : | Top |
| MATERIAL : | Aluminium Alloy 6063 - T6 |
| GLASS HEIGHT : | 970mm (max) |
| GLASS THICKNESS : | 12mm |
| FINISH : | Powder Coat Wood Coat |
| LENGTH : | 12ft 16ft |


-  EASY INSTALLATION
-  EASY CLEANING

-  MAINTENANCE FREE
-  100% RECYCLABLE

-  WEATHER PROOF
-  CORROSION RESISTANCE



SD 15



| | |
|--------------------------|---------------------------|
| TYPE : | Continuos Profile System |
| USE : | Indoor & Outdoor |
| MOUNT : | Top |
| MATERIAL : | Aluminium Alloy 6063 - T6 |
| GLASS HEIGHT : | 970mm (max) |
| GLASS THICKNESS : | 12mm |
| FINISH : | Powder Coat Wood Coat |
| LENGTH : | 12ft 16ft |



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE





WEATHER PROOF



CORROSION RESISTANCE



SD 16



TYPE : Bracket with Cover System

USE : Indoor & Outdoor

MOUNT : Top

MATERIAL : Aluminium Alloy 6063 - T6

GLASS HEIGHT : 970mm (max)

GLASS THICKNESS : 12mm

FINISH : Powder Coat | Wood Coat

LENGTH : 12ft | 16ft



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE




WEATHER PROOF



CORROSION RESISTANCE



SD 16B



| | |
|--------------------------|---------------------------|
| TYPE : | Bracket with Side Cap |
| USE : | Indoor & Outdoor |
| MOUNT : | Top |
| MATERIAL : | Aluminium Alloy 6063 - T6 |
| GLASS HEIGHT : | 970mm (max) |
| GLASS THICKNESS : | 12mm |
| FINISH : | Powder Coat Wood Coat |
| LENGTH : | 65mm/pcs |



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE




WEATHER PROOF




CORROSION RESISTANCE





SD 17





| | |
|--------------------------|---------------------------|
| TYPE : | Continuos Profile System |
| USE : | Indoor & Outdoor |
| MOUNT : | Top Concealed |
| MATERIAL : | Aluminium Alloy 6063 - T6 |
| GLASS HEIGHT : | 1100mm (max) |
| GLASS THICKNESS : | 12mm to 15.52mm |
| FINISH : | Powder Coat Wood Coat |
| LENGTH : | 12ft 16ft |


 EASY INSTALLATION

 EASY CLEANING

 MAINTENANCE FREE


 100% RECYCLABLE

 WEATHER PROOF

 CORROSION RESISTANCE



SD 18



| | |
|--------------------------|---------------------------|
| TYPE : | Continuos Profile System |
| USE : | Indoor & Outdoor |
| MOUNT : | Top Concealed Side |
| MATERIAL : | Aluminium Alloy 6063 - T6 |
| GLASS HEIGHT : | 1100mm (max) |
| GLASS THICKNESS : | 12mm to 17.52mm |
| FINISH : | Powder Coat Wood Coat |
| LENGTH : | 12ft 16ft |



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE




WEATHER PROOF




CORROSION RESISTANCE





SD 19





| | |
|--------------------------|---------------------------|
| TYPE : | Bracket System |
| USE : | Indoor & Outdoor |
| MOUNT : | Top |
| MATERIAL : | Aluminium Alloy 6063 - T6 |
| GLASS HEIGHT : | 900mm (max) |
| GLASS THICKNESS : | 12mm |
| FINISH : | Powder Coat Wood Coat |
| LENGTH : | 57mm/pcs |


 EASY INSTALLATION

 EASY CLEANING

 MAINTENANCE FREE


 100% RECYCLABLE

 WEATHER PROOF

 CORROSION RESISTANCE



SD 20



| | |
|--------------------------|---------------------------|
| TYPE : | Bracket System |
| USE : | Indoor & Outdoor |
| MOUNT : | Top |
| MATERIAL : | Aluminium Alloy 6063 - T6 |
| GLASS HEIGHT : | 970mm (max) |
| GLASS THICKNESS : | 12mm |
| FINISH : | Powder Coat Wood Coat |
| LENGTH : | 50mm/pcs |



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE




WEATHER PROOF





CORROSION RESISTANCE







SD 21



| | |
|--------------------------|---------------------------|
| TYPE : | Bracket System |
| USE : | Indoor & Outdoor |
| MOUNT : | Top |
| MATERIAL : | Aluminium Alloy 6063 - T6 |
| GLASS HEIGHT : | 970mm (max) |
| GLASS THICKNESS : | 12mm |
| FINISH : | Powder Coat Wood Coat |
| LENGTH : | 65mm/pcs |


-  EASY INSTALLATION
-  EASY CLEANING

-  MAINTENANCE FREE
-  100% RECYCLABLE

-  WEATHER PROOF
-  CORROSION RESISTANCE



SD 22



| | |
|--------------------------|---------------------------|
| TYPE : | Continuous Profile System |
| USE : | Indoor & Outdoor |
| MOUNT : | Top Concealed |
| MATERIAL : | Aluminium Alloy 6063 - T6 |
| GLASS HEIGHT : | 970mm (max) |
| GLASS THICKNESS : | 12mm |
| FINISH : | Powder Coat Wood Coat |
| LENGTH : | 12ft 16ft |



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE





WEATHER PROOF



CORROSION RESISTANCE



SD 23



| | |
|--------------------------|---------------------------|
| TYPE : | Continuos Profile System |
| USE : | Indoor & Outdoor |
| MOUNT : | Top |
| MATERIAL : | Aluminium Alloy 6063 - T6 |
| GLASS HEIGHT : | 970mm (max) |
| GLASS THICKNESS : | 12mm |
| FINISH : | Powder Coat Wood Coat |
| LENGTH : | 12ft 16ft |



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE




WEATHER PROOF



CORROSION RESISTANCE



SD 24



| | |
|--------------------------|---------------------------|
| TYPE : | Bracket System |
| USE : | Indoor & Outdoor |
| MOUNT : | Top |
| MATERIAL : | Aluminium Alloy 6063 - T6 |
| GLASS HEIGHT : | 970mm (max) |
| GLASS THICKNESS : | 12mm |
| FINISH : | Powder Coat Wood Coat |
| LENGTH : | 60mm/pcs |



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE




100% RECYCLABLE




WEATHER PROOF



CORROSION RESISTANCE



SD 25



TYPE : Bracket with Cover System

USE : Indoor & Outdoor

MOUNT : Top

MATERIAL : Aluminium Alloy 6063 - T6


GLASS HEIGHT : 970mm (max)

GLASS THICKNESS : 12mm

FINISH : Powder Coat | Wood Coat

LENGTH : 12ft | 16ft

 EASY INSTALLATION

 EASY CLEANING

 MAINTENANCE FREE


 100% RECYCLABLE

 WEATHER PROOF

 CORROSION RESISTANCE



SD 26



| | |
|--------------------------|---------------------------|
| TYPE : | Continuos Profile System |
| USE : | Indoor & Outdoor |
| MOUNT : | Top |
| MATERIAL : | Aluminium Alloy 6063 - T6 |
| GLASS HEIGHT : | 1100mm (max) |
| GLASS THICKNESS : | 12mm to 15.52mm |
| FINISH : | Powder Coat Wood Coat |
| LENGTH : | 12ft |

 EASY INSTALLATION

 EASY CLEANING

 MAINTENANCE FREE


 100% RECYCLABLE

 WEATHER PROOF



 CORROSION RESISTANCE







SD 27



| | |
|--------------------------|---------------------------|
| TYPE : | Continuos Profile System |
| USE : | Indoor & Outdoor |
| MOUNT : | Top Concealed |
| MATERIAL : | Aluminium Alloy 6063 - T6 |
| GLASS HEIGHT : | 1100mm (max) |
| GLASS THICKNESS : | 19mm to 25.5mm |
| FINISH : | Powder Coat Wood Coat |
| LENGTH : | 12ft |


 EASY INSTALLATION
 EASY CLEANING

 MAINTENANCE FREE
 100% RECYCLABLE



 WEATHER PROOF
 CORROSION RESISTANCE







SD 28



| | |
|--------------------------|---------------------------|
| TYPE : | Continuos Profile System |
| USE : | Indoor & Outdoor |
| MOUNT : | Top Concealed |
| MATERIAL : | Aluminium Alloy 6063 - T6 |
| GLASS HEIGHT : | 900mm (max) |
| GLASS THICKNESS : | 12mm |
| FINISH : | Powder Coat Wood Coat |
| LENGTH : | 12ft 16ft |


 EASY INSTALLATION
 EASY CLEANING

 MAINTENANCE FREE
 100% RECYCLABLE

 WEATHER PROOF
 CORROSION RESISTANCE



SD 29



| | |
|--------------------------|---------------------------|
| TYPE : | Continuos Profile System |
| USE : | Indoor & Outdoor |
| MOUNT : | Top |
| MATERIAL : | Aluminium Alloy 6063 - T6 |
| GLASS HEIGHT : | 1100mm (max) |
| GLASS THICKNESS : | 12mm to 1752mm |
| FINISH : | Powder Coat Wood Coat |
| LENGTH : | 12ft |



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE





WEATHER PROOF



CORROSION RESISTANCE



SD 30



| | |
|--------------------------|---------------------------|
| TYPE : | Continuos Profile System |
| USE : | Indoor & Outdoor |
| MOUNT : | Top Concealed |
| MATERIAL : | Aluminium Alloy 6063 - T6 |
| GLASS HEIGHT : | 900mm (max) |
| GLASS THICKNESS : | 12mm |
| FINISH : | Powder Coat Wood Coat |
| LENGTH : | 12ft 16ft |



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE





WEATHER PROOF



CORROSION RESISTANCE



SD 31



| | |
|--------------------------|---------------------------|
| TYPE : | Continuos Profile System |
| USE : | Indoor & Outdoor |
| MOUNT : | Top Concealed |
| MATERIAL : | Aluminium Alloy 6063 - T6 |
| GLASS HEIGHT : | 970mm (max) |
| GLASS THICKNESS : | 12mm to 13.52mm |
| FINISH : | Powder Coat Wood Coat |
| LENGTH : | 12ft 16ft |



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE




WEATHER PROOF



CORROSION RESISTANCE



SD 31B



| | |
|--------------------------|---------------------------|
| TYPE : | Bracket System |
| USE : | Indoor & Outdoor |
| MOUNT : | Top |
| MATERIAL : | Aluminium Alloy 6063 - T6 |
| GLASS HEIGHT : | 970mm (max) |
| GLASS THICKNESS : | 12mm |
| FINISH : | Powder Coat Wood Coat |
| LENGTH : | 65mm/pcs |



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE




WEATHER PROOF





CORROSION RESISTANCE







SD 32



| | |
|--------------------------|---------------------------|
| TYPE : | Bracket with Cover System |
| USE : | Indoor & Outdoor |
| MOUNT : | Top |
| MATERIAL : | Aluminium Alloy 6063 - T6 |
| GLASS HEIGHT : | 970mm (max) |
| GLASS THICKNESS : | 12mm to 13.52mm |
| FINISH : | Powder Coat Wood Coat |
| LENGTH : | 12ft 16ft |


 EASY INSTALLATION
 EASY CLEANING

 MAINTENANCE FREE
 100% RECYCLABLE

 WEATHER PROOF
 CORROSION RESISTANCE



SD 33



- TYPE :** Continuous Profile System

- USE :** Indoor & Outdoor

- MOUNT :** Top

- MATERIAL :** Aluminium Alloy 6063 - T6

- GLASS HEIGHT :** 970mm (max)

- GLASS THICKNESS :** 12mm to 13.52mm

- FINISH :** Powder Coat | Wood Coat

- LENGTH :** 12ft | 16ft

 EASY INSTALLATION

 MAINTENANCE FREE

 WEATHER PROOF


 EASY CLEANING

 100% RECYCLABLE



 CORROSION RESISTANCE







SD 34



| | |
|--------------------------|---------------------------|
| TYPE : | Continuous Profile System |
| USE : | Indoor & Outdoor |
| MOUNT : | Top Concealed |
| MATERIAL : | Aluminium Alloy 6063 - T6 |
| GLASS HEIGHT : | 970mm (max) |
| GLASS THICKNESS : | 12mm to 17.52mm |
| FINISH : | Powder Coat Wood Coat |
| LENGTH : | 12ft 16ft |


 EASY INSTALLATION
 EASY CLEANING

 MAINTENANCE FREE
 100% RECYCLABLE

 WEATHER PROOF
 CORROSION RESISTANCE



SD 35



| | |
|--------------------------|---------------------------|
| TYPE : | Bracket System |
| USE : | Indoor & Outdoor |
| MOUNT : | Top |
| MATERIAL : | Aluminium Alloy 6063 - T6 |
| GLASS HEIGHT : | 970mm (max) |
| GLASS THICKNESS : | 12mm |
| FINISH : | Powder Coat Wood Coat |
| LENGTH : | 55mm/pcs |



EASY INSTALLATION



EASY CLEANING



MAINTENANCE FREE



100% RECYCLABLE




WEATHER PROOF





CORROSION RESISTANCE







SD 36



| | |
|--------------------------|---------------------------|
| TYPE : | Bracket with Cover System |
| USE : | Indoor & Outdoor |
| MOUNT : | Side |
| MATERIAL : | Aluminium Alloy 6063 - T6 |
| GLASS HEIGHT : | 1100mm (max) |
| GLASS THICKNESS : | 12mm, 13.52mm |
| FINISH : | Powder Coat Wood Coat |
| LENGTH : | 12ft 16ft |


 EASY INSTALLATION
 EASY CLEANING

 MAINTENANCE FREE
 100% RECYCLABLE

 WEATHER PROOF
 CORROSION RESISTANCE



SD 37



| | |
|--------------------------|---------------------------|
| TYPE : | Continuos Profile System |
| USE : | Indoor & Outdoor |
| MOUNT : | Top Concealed |
| MATERIAL : | Aluminium Alloy 6063 - T6 |
| GLASS HEIGHT : | 1100mm (max) |
| GLASS THICKNESS : | 12mm |
| FINISH : | Powder Coat Wood Coat |
| LENGTH : | 12ft 16ft |

 EASY INSTALLATION

 EASY CLEANING

 MAINTENANCE FREE

 100% RECYCLABLE


 WEATHER PROOF

 CORROSION RESISTANCE


HANDRAIL & ACCESSORIES




HR-01 (50X50mm Square Lite)




HR-02 (40X40mm Square)



HR-03 (25X25mm)








HR-04 (50mm Round)



HANDRAIL & ACCESSORIES








HR-06 (65X38mm)

| | | | | |
|---|---|--|---|---|
|  |  |  |  |  |
| HAND RAIL | WALL CONCEALED | CORNER CONNECTOR | STRAIGHT CONNECTOR | END CAP |






HR-07 (50X50mm LED Diffuser)

| | | | | |
|--|--|---|--|--|
|  |  |  |  |  |
| HAND RAIL | WALL CONCEALED | CORNER CONNECTOR | STRAIGHT CONNECTOR | END CAP |








HR-08 (41X36mm)


| | | | | |
|---|---|--|--|--|
|  |  |  | | |
| HAND RAIL | WALL CONCEALED | END CAP | | |



HR-09 (82X38mm)

| | | | | |
|---|---|--|---|---|
|  |  |  |  |  |
| HAND RAIL | WALL CONCEALED | CORNER CONNECTOR | STRAIGHT CONNECTOR | END CAP |

HANDRAIL & ACCESSORIES



HR-10 (50X50mm Heavy)

| | | | | |
|-----------|----------------|------------------|--------------------|---------|
| | | | | |
| HAND RAIL | WALL CONCEALED | CORNER CONNECTOR | STRAIGHT CONNECTOR | END CAP |



HR-12 (71X35mm)

| | | | | |
|-----------|----------------|------------------|--------------------|---------|
| | | | | |
| HAND RAIL | WALL CONCEALED | CORNER CONNECTOR | STRAIGHT CONNECTOR | END CAP |



HR-13 (71x35mm LED)

| | | | | |
|-----------|----------------|------------------|--------------------|---------|
| | | | | |
| HAND RAIL | WALL CONCEALED | CORNER CONNECTOR | STRAIGHT CONNECTOR | END CAP |




HR-17 (40X35mm)

| | | | | |
|-----------|----------------|------------------|--------------------|---------|
| | | | | |
| HAND RAIL | WALL CONCEALED | CORNER CONNECTOR | STRAIGHT CONNECTOR | END CAP |


HANDRAIL & ACCESSORIES




HR-18 (65X40mm)




HR-19 (60X40mm)



HR-21 (45X45mm)LED



HR-22 (46X40mm)



FINISHES

AVAILABLE FINISHES



C-5



US-1103



US-1107



SILVER

WE CAN MAKE FINISHES AS PER REQUIREMENTS



US-017



US-010



US-023



US-222



US-777



US-1111



US-555



US-1106

BRAND WE USE IN FASTENER

STRONG FOR GENERATIONS

KLIMAS

FASTENER TECHNOLOGIES



Frame plug with TX head screw (polyamide sleeve)

KPS-FAST S / KPR-FAST K

RELIABLE AND SECURE

PA
100% NYLON

FASTENING




SUBSTRATES (ETAG 020 ABCCD)



A
Cracked concrete – non-structural, multi-point fastening



B
Solid clay brick, Solid calcium silicate brick



C
Hollow or perforated clay brick



C
Calcium silicate hollow block



D
AAC block

AVAILABLE ANCHOR LENGTH:

| | | |
|------------|------------|------------|
| 8 x 80mm | 8 x 100mm | 8 x 120mm |
| 10 x 80mm | 10 x 100mm | 10 x 120mm |
| 10 x 140mm | 10 x 160mm | |

ZINC FLAKE COATING

Zinc flake coating offers two times better corrosion resistance compared



EUROPEAN TECHNICAL ASSESSMENT ETA-12/0272



BALUSTRADE
PRIVATE LIMITED

Address: Beside Mars Soil, Testing Laboratory,
Kumbarwas, Nr. Vandematram Railway Crossing,
Gota, 382481-Ahmedabad.

Dubai Office : Doorwin Trading LLC,
Office No. 2105-2108, 26, AL Ekhtyar AL Mumayz
Business Center, Iris Bay Tower, Happiness Street,
Opp. JW Marriott Hotel, Business Bay, Dubai,
UAE Po Box : 78704

Contact: +971 56 716 4522

E-mail: sales@skydecks.in | **Website:** www.skydecks.in | **Contact:** +91-9979929622

Follow us on:   